

STRETCHERS AND MEDICAL SUPPLIES CATALOG



Ambulancemed

STRETCHERS AND MEDICAL SUPPLIES



Ambulancemed, who combines technical expertise with the commercial ones and maintains with national/international experience, has led the delivery of thousands of ambulances until today.

Today, our ambulances and our mobile health vehicles are traveling safely on the roads based in 4 continents. Recently, we have managed to improve designing top structure vehicles for the all over the world.

ABOUT US



We are achieving in order to protect health workers' freedom areas and enable them to make better service to the patients. Our aim is to make perfect comfort and driving abilities of the ambulances and the mobile clinic vehicles. We are proud of manufacturing the ambulances and the mobile clinic vehicles that provide accessible comfort, incontrovertible security solutions, and fuel choices with diesel and gasoline. As AmbulanceMed group company, have completed hundreds of deliveries of ambulances and mobile clinic vehicles. Our fundamental responsibility is to carry patients to emergency service and to facilitate serving mobile clinic solutions to the patients who don't have any access to a hospital. We have mediated ambulances to provide movements to disabled patients and enable baby and child patients to be transported safely from all over the world. It is proof of the confidence felt to us the fact that inserting new products and innovative vehicles to the product range in each year. We have mediated to broaden not only ours but also the subsidiary industry's horizons in the previous years. We are aware of the fact that thousands of families' lives depend on the ambulances and mobile clinic vehicles that we have produced.

ABOUT US



We are assuring our products in terms of the capability to supply quick technical services. Our priorities are designing and conducting innovator ambulances and mobile clinic devices, that meet with the expectations of our partners, and facilitating medical workers' tasks. The main innovation is to work in order to make a better life. We are aware of the fact that innovation comes at first and it makes future closer. We have been working on finding new stronger and more stable ways in order to help to save human lives. We believe the necessity of thinking and acting extraordinary in order to improve our productivity. We believe the necessity of offering high innovation levels to our co-workers in order to make them reach high working standards. Thus, we care about making the act of working with our co-workers a worthwhile experience. According to us, that our employees' feel proud and loyalty about our structure and be a big defender of our company is organizational loyalty. We, as being AmbulanceMed, are gratified of being our employees' responsible and stable.

TRANSFER STRETCHER



The pipes used in the main skeleton of the stretcher manufactured from aluminum 61 (AA 6351) or another material that equal to it or Cr-Ni stainless material providing an antibacterial feature. It is manufactured as being agreeable according to the EN 1865 and EN 1789 standards. The stretcher has the capability of carrying 160 kilograms patient in maximum. In fact, it is tested with 250 kilograms of burden. The weight of the stretcher is 38 kilograms (without mattress and belt) at the furthest. The main stretcher of the ambulance was produced from tempered aluminum pipes with a special alloy and a changeable injection molding. In addition, it can be manufactured as being colored or anodized with the intended color by making the electrostatic application of powdered paint.

TRANSFER STRETCHER



The backrest part can be arranged with a mechanic or hydraulic system with various stages. Also, it is located railings on both sides of the top of the main body belonging to the stretcher. The head part and the upper body part is entirely covered with ABS or rigid material that alloyed with aluminum in order to enable making CPR application.

3 simple stretcher belt and a shoulder belt attached to the stretcher in order to keep the patient safe. The stretcher has 4 wheels contacting the ground after it is opened. 2 of them, placed on the head part, are donated as being lockable and the others are produced as being rotatable about 360 degrees. The wheels have at least 2mms diameter.

TRANSFER STRETCHER

The stretcher can be mounted on a movable platform based on the ground if requested. The stretcher has a configurable serum hanger, an arm support wood, and a cushion with press printing in order to provide comfort to the patient and the health employee. The stretcher can be loaded and downloaded by one person easily from the ambulance provided that there is a patient on the stretcher or not.

The colors of the stretcher manufactured uniquely depending on the requests. This stretcher is more useful compared with others in terms of lightness. The railings and the seatbelts located on both sides of the stretcher prevent the patient from sliding and keep him/her constant. The components can be shifted in case breaking down or getting damaged.



MAIN STRETCHER



The Main Strecher has the capability of carrying 160 kilograms patient in maximum. In fact, it is tested with 250 kilograms of burden. The weight of the stretcher is 38 kilograms (without mattress and belt) at the furthest. The main stretcher of the ambulance was produced from tempered aluminum pipes. With a special alloy and a changeable injection molding. In addition, it can be manufactured as being colored or anodized with the intended color by making the electrostatic application of powdered paint. The backrest part can be arranged with a mechanic or hydraulic system with various stages. Also, it is located railings on both sides of the top of the main body belonging to the stretcher. The head part and the upper body part is entirely covered with ABS or rigid material that alloyed with aluminum in order to enable making CPR application. 3 simple stretcher belt and a shoulder belt attached to the stretcher in order to keep the patient safe.

MAIN STRETCHER



The stretcher has 4 wheels contacting the ground after it is opened. 2 of them, placed on the head part, are donated as being lockable and the others are produced as being rotatable about 360 degrees. The wheels have at least 2mms diameter. The stretcher can be mounted on a movable platform based on the ground if requested. The stretcher has a configurable serum hanger, an arm support wood, and a cushion. With press printing in order to provide comfort to the patient and the health employee.

The stretcher can be loaded and downloaded by one person easily from the ambulance provided that there is a patient on the stretcher or not. The colors of the stretcher manufactured uniquely depending on the requests. This stretcher is more useful compared with others in terms of lightness. The railings and the seatbelts located on both sides of the stretcher prevent the patient from sliding and keep him/her constant. The components can be shifted in case breaking down or getting damaged.

CHAIR STRETCHER



Ambulancemed



CHAIR STRETCHER



Combination chair stretcher designed for ambulances produced as compatible according to EN 1865 standards. This stretcher can also be used in hospitals and private clinics for the purpose of transferring the patient. When the elevator is broken in high-rise buildings, the patient can be transferred easily to the stairs by this stretcher.

Stretcher chair made from hardened aluminum tubes with special alloy and changeable injection moldings and designed according to intended color as colored with electrostatic powder paint or anodized.

The legs of the combination stretcher (chair) are supplied with two wheels at least 100 mm in diameter and lockable in the open position.

The combined ambulance stretcher (chair) takes up little space in the ambulance or hospital because it can be closed when not in use.

CHAIR STRETCHER



The stretcher has 3 systems of disposable straps with a lock, 2 pairs of handles, and at least one pair of wheels. Handles located at the top behind and bottom of the front sides of the stretcher skeleton to facilitate patient transport. The seat and back part covered with an ex vinyl material, non-flammable and stainless. The stretcher has a locking system to keep it in place. It can be positioned as a lying position whenever you want. It can be carried by at least two people using the handles.

Provision may be made for the front support pillow for patient comfort to be requested. This pillow can be separated from the stretcher by its touch closure whenever you want. The combined ambulance stretcher (chair) has all types of international documents. The measures of the stretcher are 1900 +/- 50 mm * 540 +/- 50 mm. Its weight is 13 kilograms at most; the load capacity is 150 kilograms.

VACUUM STRETCHER



VACUUM STRETCHER



It is designed for use in traumatic injuries, immobilization, and safe casualty transfer. When the soft stretcher is vacuumed, it hardens and surrounds the body of the injured person. It is made of friction and tear-resistant, lightweight material. The vacuum stretcher consists of a set to be inflated with a manually operated vacuum pump that provides rapid suction. There are straps and 4 side handles to facilitate the carrying of the patient when the patient is placed. Stretcher passes X-Ray rays.

Technical Data / Technical Specifications Length / Length 190 cm
Width / Width 85 cm Height / Height 5 cm
Weight 5 kg
Carrying Capacity 180 kg



VACUUM SPLINT SET



Ambulancemed



VACUUM SPLINT SET



Vacuum Splint Set is completely X-ray permeable.
It can be easily cleaned and disinfected with alcohol, soapy water, and liquid disinfectants. Special TPU material resistant to friction and tear provides maximum usage.
Set of three with a vacuum pump and carrying bag.

Large size: Adult long foot, children's stretcher. 108 cm x 67 cm (37 cm)

Medium size: Adult long arm-short leg child long leg, baby stretcher. 74 cm x 61 cm (47 cm)

Small size: Adult short arm-ankle-neck, child long arm-short foot, baby long leg. 54 cm x 33 cm

BASKET STRETCHER




BASKET STRETCHER




It is used to transfer the traumatic casualty onto the stretcher without moving it. It consists of an outer shell made of ABS Polymer and an aluminum frame with a single piece fixed to it.

SPINE BOARD



SPINE BOARD




Backboards are used for patients with spine injuries. Seat belts are available to stabilize the patient.

Made of hardened durable plastic material and resistant to water. Suitable for use with head stabilizer used in neck and brain depressions.

It is waterproof and fireproof. It is capable of carrying the patient without sinking on the water.

SPINE BOARD SPIDER BELT



The spider belt, which is frequently used in ambulances and first aid rescue operations, has a body length of at least 125 cm. There are at least six side belts on the belt's central axis and V-fasteners on the head. By means of these, the patient can be fixed to the stretcher on both shoulders, and with other belts, the injured can be fixed to the stretcher by gripping at the level of the abdomen, hip, upper and lower legs.

During this process, the spider belt can move toward the desired point on the patient with other belts on the main axis. If desired, these belts can be immobilized on the spider belt's main shaft. Belt columns are produced in colors that comply with European standards. Spider arch column widths are manufactured at least 5 cm thick.

SPINE BOARD SPIDER BELT




The stitches of the spider belt, which are used frequently and comfortably in ambulances, are produced specially with solid and durable yarns. When the spider belt columns are exposed to liquids such as blood, excretion, and thus get dirty, it can be washed and disinfected with detergent at a suitable temperature. The main usage area of the Spider Belt, which has an essential place in the ambulance equipment, is the spine board, but it is designed to be used with the dustpan stretcher and other stretcher groups when necessary. If desired, the company logo and contact information can be added on the spider belt.

It is fully compatible with any stretcher system used in transferring the patient to the ambulance and the hospital's first aid service. The spider belt can also be used compatibility with the head fixing pad on the spine board.

The spider belt plays a vital role in both ambulances and first aid rescue equipment and is one of the healthcare providers' most extensive supporting healthcare equipment.

The body length of the spider belt should be 126 (+/- 2) cm.

HEAD STABILIZER



HEAD STABILIZER

Immobilizes the cervical region laterally on all types of spine boards. Head fixation wedges positioned with velcro, soft padded chin, and forehead bands.

Easy to clean vinyl coating. Wide opening for checking the ear area. X-rays are permeable.



SCOOP STRETCHER



Ambulancemed




SCOOP STRETCHER



Scoop Stretcher is used to transfer the traumatized injured person on the stretcher after the accident without moving them. Thanks to the wings that are separated from the middle, the dustpan can be taken from the place in the form of a stretcher and carried on the main stretcher without moving the patient. The quick attachment, release, and adjustment parts required for the inpatient, as well as the patient's adjustable straps, are designed in a convenient way. It is lightweight and parts outside the stretcher frame can pass X-Ray rays.

Technical Data / Technical Specifications Length (max.) / Length (max.) 207 cm (± 20) Length (min.) / Length (min.) 167 cm (± 20) Width (head) / Width (head) 32 cm (± 20) Width (foot) / Width (head) 42 cm (± 20) Height / Height 6 cm Weight / Weight 8 kg Carrying Capacity 250 kg



STRETCHER PLATFORM



The stretcher platform provides stable and pleasant transportation of patients and eases interventions of the staff. Made of stainless steel.

POLE STRETCHER



Practical stretcher doubling length and width. Light alloy special aluminum chassis.

1100 denier polyester / PVC bearing bed resistant to flammability, friction and tear. 2 casualty fixation belts.

PATIENT TRANSPORT COVER



It is made of waterproof and tear-resistant 1100Denier PVC laminated material. There are 3 carrying handles and soft PU pads on both sides. There is a support belt from below.

AMBULANCE CORPSE BAG



Corpse Bag is an indispensable product in ambulance vehicles. It is used in case of need within first aid teams and other health groups. The bodybag is designed with a zipper all along. It is made of a unique fabric with a robust quality zipper and sewing technique. The zipper is double-sided and enables comfortable use of ambulance personnel. If desired, the zipper system can be designed as 'U', 'and under the favor of this sewing technique, the funeral can be placed more comfortably and efficiently by the medical personnel.

There are 4 or 6 sturdy carrying handles that allow the health personnel to take the body comfortably and effortlessly. If desired, this handle number can be increased to 8 in adult-type body bags, and the bag can also be strengthened by a belt completely surrounding the lower part of it. The body bag can be carried easily by fixing it onto the ambulance stretcher with stretcher belts.

AMBULANCE CORPSE BAG



It does not occupy much space in the ambulance and does not have a special carrying case. Depending on requests, a carrying bag can be provided according to its location in the ambulance. The body bag has a flexible but solid structure that can be folded easily and properly. The edges of the body bag are one-piece seamless and are made of Non-Woven fabric. That special fabric prevents liquid, odor, and dust from entering the bag during transportation with both ambulance vehicles and funeral transport vehicles. There is a transparent identity pane for the identity information of the body. Adult size is 80 * 220cm, pediatric size is 70 * 140cm. Also, depending on demand, funeral bags can be manufactured from PVC products.

In addition, it is possible to produce corpse bags in various sizes and colors upon request. If the body bag is contaminated and needs to be cleaned due to blood and other liquids, it can be easily cleaned with alcohol-based cleaners or detergent and made suitable for re-use.

KED EXTRICATION VEST



It is a rescue vest used to immobilize the spine with its horizontal flexibility and vertical stiffness. 1100 denier PVC coated Polyester robust material, color-coded anchor belts.

Suitable for use with anti-shock pants, heart monitor, defibrillator.

X-rays are permeable.

With head fixing tapes, a special pillow, and a special carrying bag.

EMERGENCY BAG



Emergency bag is made of high-quality material. It is designed especially for use in the ambulances by paramedics and other medical personnel. Apart from the ambulance, the Emergency Bag can meet the healthcare personnel's needs in places such as mobile clinics, field hospitals, infirmaries, and health cabins. High strength quality sewing and zipper system are used in our bag, and it is produced according to the desired color and fabric.

EMERGENCY BAG



Ambulance Emergency Bag is suitable for carrying on hand, shoulder, and back. There are carrying handles located vertically and horizontally, especially for hand carrying. The Emergency Bag is made of durable 1100 denier PVC tarpaulin fabric that is resistant to water, dust, and all weather conditions. The size of the Emergency Bag, except side pockets, is 55 * 40 * 20 cm. (\pm 3 cm). With these dimensions, the ambulance bag does not occupy much space in the vehicle and can be fixed in its own area. There is a portable oxygen cylinder attachment apparatus in the Ambulance Emergency Bag. There are a total of 5 detachable bags with a transparent cover and zipper in different sizes and colors in the Ambulance Emergency Bag. There are high-quality zippered pockets in various capacities on the right, left sides, and upper cover of the bag. There is a reflector band on the front and sides of the bag in order to increase visibility.

EMERGENCY BAG



The surrounding of the ambulance bag is covered by shock- absorbing plastic materials against external factors. The bag shoulder belt is made of high-quality, soft, and solid substance. There is an adjustable connecting belt at the midline point and waist level to facilitate carrying on the back and fixing it to the waist. There is also a pillow made of soft material in the lumbar region. At the bottom of the Ambulance Emergency Bag, there is a PVC fabric made as a second layer that prevents liquid passage, and this fabric is also fixed on the ground. The Ambulance Emergency aid backpack has four rubber shock-absorbing feet in order to stand the bag uprightly. The bag is surrounded by a black wick that provides durability, aesthetics and sealing to the bag. Depending on the requests, the suitcase-type wheel system and carrying handle can be attached to the bag.

AMBULANCE EMERGENCY BAG



Our Ambulance Emergency Bag is made of high-quality material. This medical bag is preferred in 112 emergency ambulances, home health-care, and factory-workplaces infirmaries. It can be manufactured in different colors and fabrics in accordance with customer requests. High-quality sewing and zipper system is used in our Emergency Bags. The medical supplies in the Ambulance Emergency Bag are provided according to customer requests and can be placed in suitable compartments. Our Ambulance Emergency Bag is made of long-lasting 690 denier polyurethane impregnated fabric material that is resistant to dust and water. Our Ambulance Emergency Bag can be carried comfortably in the hand, shoulder, and back, depending on the user's preference. The hanger apparatuses for carrying on the back can be adjusted and also contains pads. There are dividers inside the Ambulance Emergency Bag. There are nettings on the front and side pockets for fixing medical equipment. There is a 5 cm reflector tape that covers the bag entirely so that others can see the bag in the dark, especially at nights.

AMBULANCE EMERGENCY BAG



The complete dimensions of the Emergency Bag are 62 * 40 * 35 cm \pm 3 cm. The inside of the bag provides ease of use with its adjustable compartments. Partitions can be removed if needed. There are two different bulb holding compartments in various capacities in the back pocket of the bag. The bag has an exceptional sewing system and is surrounded by a black roving. This black roving prevents fluid from passing through the seams of the pack. The bottom part of the Ambulance Emergency Bag has four shock-absorbing high-quality rubber black feet. Ambulance Emergency Bag has a soft but high- quality fastening device with a velcro band on the carrying handles. A high-quality double-headed main zippers used in the Ambulance Emergency Bag. In addition, if ordered, at least 15 company names and logos can be placed in our Emergency Bag.

OXYGEN CYLINDER BAG



Ambulancemed



OXYGEN CYLINDER BAG



The bag is made of 630 Denier waterproof material. Six is supported with shock-absorbing materials.
The lower part is properly elongated for 5-liter cylinders.
Has a carrying strap.
There is a large zippered section on the side for consumables.



MODULAR WAIST BAG



Modular belt bag for storing and carrying various first aid supplies.

4 separate movable compartments on the locked belt. Wide reflective tape.

VACCINE BAG



The bag is made of 1600 Denier waterproof material.

Inside the bag, there is a foam material to keep medicines and vaccines cold.



Optionally, aluminum alloy inner wall lining and reflector tape application on the front surface of the bag is applied on bags. The bag is suitable for hand and shoulder carrying.

LEG TYPE BAG



The cover of the first aid kit is fixed with a material called velcro. There is a zipper on the right and left of the cover. Access to the bag is easy. The bag is first mounted to the belt, then to the leg by means of an adjustable belt.



The bag is made of Cordura fabric. The bag is sized to carry the first aid materials needed by a user. There are columns on the bag and these columns are suitable for carrying on bags in different materials.

MEDICAL BAG



Ambulancemed



MEDICAL BAG



After the zippered cover of the first aid kit is opened, there are 8 transparent pockets of 100 mm made of acetate material that is fixed to it. The platform with these pockets is folded and placed in the bag, creating a compact appearance.

There are at least 12 bulb-carrying belts inside the bag. The bag is suitable for hand and shoulder carrying.

The bag is made of water-resistant, long-lasting polyurethane-impregnated 1600 Denier fabric. Bag columns are made of polyester yarn and have a narrow weave of 2.50 cm.

AMBULANCE WALL BAG



The wall pocket is specially designed for the user to move comfortably and quickly in ambulances and patient transport vehicles. The pocket is made of PVC tarpaulin or 1600 denier water-resistant, long-lasting polyurethane-impregnated fabric. The pocket is produced in a structure that can be mounted on the side walls in the ambulance.



The top covers of the pockets are zippered, they can be designed in different sizes from top to bottom, and the front eyes can be sewn with mesh, acetate, or tag. Pocket pockets are produced in a fixed or separable structure.

BULB BAG



Ambulancemed




BULB BAG



Bulb carrying bag is designed for use by ambulance and home care team. The bag is made of 1900 Denier waterproof material. Surrounded by shock-absorbing materials. It has a holding compartment for at least 120 ampoules and injectors.

There are separators to prevent the bulbs from hitting each other. Optionally, 12 pcs 1.18 cm diameter or 10 pcs 1.78 cm diameter silicone ampoule holding apparatus can be added to the inside of the bag. Bag dimensions are 300 * 230 * 80 mm. Suitable for hand carrying.



MEDICAL SCISSORS BAG



Magil Forceps:

Diagnostic Light Pen
Reflex Hammer
Ring cutter
Zigzag Scissors
Curved scissors

FIRST AID KIT



Bag; It is designed for situations that require emergency intervention in ambulances, home care, factories, and workplaces. It is made of orange and hard plastic. It is offered with a wall mount kit. The bag can be supplied empty or filled with the necessary materials for first aid. If the bag is demanded in full, it is given in various sizes and lengths with the following materials. Plaster Band, Plaster Band, Adhesive Wound Pad, Bandage, Hydrophilic Cotton, Sterile Gauze, Tourniquet, Elastic Bandage, Triangle Bandage, Scissors, Artificial Respiratory Mask, Protection Cover, Waste Bag, Disposable Glove, Instant Cold Compress, Antiseptic Solution Oxygenated Water, Digital Thermometer, Tweezers, Safety Pin, First Aid Booklet

AMBULANCE SPLINT KIT



Ambulancemed



AMBULANCE SPLINT KIT



Medical personnel who intervene with the ambulance vacuum splint sets which are produced in various sizes are of great importance. The vacuum splint set has X-ray transmissive properties. Alcohol, soapy water, and liquid detergent such as cleaning materials. Special TPU material for friction, wear, and provides high tear resistance. The vacuum pump with the case is delivered. The bag in the ambulance to the place where there is at least one can be placed easily. Vacuum Splint is fixed to the patient very comfortably in the ambulance main stretcher and right side that can lie up to 90 degrees.

Personnel can be placed in the seat. Large size 108cm * 67cm, Medium size 74cm * 61cm, Small size 54cm * 33cm in size and 3 different sizes. If required, also as a set of 4 manufacturing can be made in different sizes. Weight of vacuum splint set to max. 4.5 kg. The International standards are also produced. It has CE and EN 1865 international certificates. Since the vacuum splint sets are of various sizes, they serve as a baby vacuum stretcher. Lengths are also available. The fastening hooks in the vacuum splint sets are securely attached helps the patient to be splinted.

AIR SPLINT SET



Ambulancemed



AIR SPLINT SET



It immobilizes lower and upper extremity fractures quickly, easily and safely, and helps to stop bleeding. Special PVC material that can operate between $-25 - + 45^{\circ} \text{C}$, valves preventing back air outlet.

Zipper closure.

X-rays are permeable.

6-piece set: ankle, ankle, and long leg, short leg, long leg, wrist, and short forearm, wrist, and long arm.

AMBULANCE OXYGEN SYSTEM



This regulator is ideal for both steel and aluminum oxygen cylinders of 2 liters, 5 liters, and 10 liters in ambulances. These tubes can also be used by first aid and search-rescue teams and among patients receiving home health care services.

The oxygen cylinders with 2 and 5-liters are the most significant aid of the healthcare professionals to adjust the oxygen that should be given to the patients who need emergency respiratory support until they are transported to the ambulance.

AMBULANCE OXYGEN SYSTEM



The regulator consists of two manometers. One of them shows the amount of oxygen given to the patient in the form of liters/min. The manometer scale is displayed on the indicant in increments of five. The other manometer shows the pressure/fullness in the oxygen cylinder in the form of a bar. The manometer scale is in stages with a maximum of 100 and can be easily seen by the ambulance staff.

The regulator, which can be easily attached to the ambulance and other oxygen cylinders, can be separated from the tube with the same comfort. For this, 32 “key is used. The outer material is nickel plated. Flow can be provided at the desired setting with the on-off valve. While one end of the regulator is connected to the tube, the other end has a mechanism that will be connected to the patient with oxygen hose and oxygen mask.

PORTABLE OXYGEN SYSTEM



A basic first-aid device that can be used at home, on the road, in hospitals, and in ambulances for patient care.
Portable oxygen device, a 2 lt oxygen cylinder, oxygen regulator, and flow meter.

AMBULANCE OXYGEN FLOWMETER



This model is designed to ensure that the flow of oxygen gas coming from the central system is adjusted and delivered to the devices. Rail type Oxygen flow meter is rail connected and connected to the central system with the help of a probe.



ALUMINUM OXYGEN TUBES



UBB Number:

0870 Aluminum Tube, (MA-6) 1,2 Lt / 170 lt

0872 Aluminum Tube, (M-9C) 1.7 Lt / 255 lt

0873 Aluminum Tube, (M-6) 1.0 Lt / 170 lt

0874 Aluminum Tube, (MD-15) 2,9 Lt / 425 lt -D Size

0875 Aluminum Tube, (ME-24) 4,6 Lt / 680 lt -Jumbo D Size



DEFIBRILLATOR



Devices make the shock with a biphasic waveform.

The devices can be easily transported with both fixed and carrying handles.

Devices can operate in manual, auto, asynchronous and synchronous modes at least between 2-200 joules.

ECG leads (I, II, III, aVR, aVL, aVF) of the devices can be displayed on the screen and 12 leads can be printed on ECG paper.

The devices also have 12 channel ECG, SPO₂, CO₂ parameters as standard, the relevant values are displayed numerically and graphically on the screen.

DEFIBRILLATOR



The devices have at least a 6-inch color screen. There is a 220V charger to charge the batteries and a wall mounting kit to fix the device wherever you want. The devices can work comfortably between 0 and +45 degrees.

The devices can operate with 220 VAC-50 Hz city mains current and their internal rechargeable lithium-ion battery can be fully charged in a maximum of 4 hours.

DEFIBRILLATOR



Fully charged batteries deliver at least 80 shocks at maximum energy, or devices can operate for at least 100 minutes. The total weight of the devices, including all accessories, does not exceed 12 Kg.

TRANSPORT VENTILATOR



Transport ventilator models; Oxivent Easy, Oxivent Life, Oxi1, Oxi2, Oxi3, Oxi4 are portable breathing devices developed to meet the oxygen needs of infants, children, patients and emergency situations.

PATIENT MONITOR



The device has a 12.1 " color and a high-resolution TFT / LCD screen. With its light, compact and portable structure, it is suitable for use in operating theaters, emergency rooms, and units in all adult, pediatric, and newborn patient groups. It measures ECG / RESP / SpO2 / NIBP / TEMP parameters. Optionally, ETCO2, 2 channel Invasive blood pressure measurement feature, and printer can be added. The device has a graphic and trend feature for 72 hours, and it works for 10 hours with its built-in rechargeable lithium battery.

Standard Configuration: ECG / RESP / SpO2 / NIBP / TEMP / Lithium Battery

Optional Configuration: ETCO2 / Dual IBP / Recorder / Trolley / Brace / IPMS8000 Intelligent Patient Management System

AMBU SET



One adult and one child type are reusable. It is made of silicone material. There are an oxygen inlet and reservoir at the back.

DIAGNOSTIC SET

Otoscope, ophthalmoscope, and rhinoscope are included in the set, together with its bag and accessories. Its batteries are rechargeable.



LARYNGOSCOPE



The set consists of a handle and curve blades no. 0,1,2,3,4. There is one spare for each blade from the bulbs on the blade.

All materials in the laryngoscope set are sterilizable and placed in a special compartment in the bag.
It has rechargeable type batteries.

EXAMINATION TABLE



EXAMINATION TABLE



The table consists of three parts, head-back, seat, and telescopic leg, and can be hidden in the body of the table when the foot and heel extension parts are not used.

There is a seating part of the table, 1 drawer under it and a waste tray in compliance with hygiene standards on the platform above the drawer, and a foot extension mechanism on this tub, all of which can be hidden in the body of the table after the process.

The leg supports of the table can be mounted on the heel supports and can be removed when not in use. (Optional Feature)

The heel extension of the table is foldable, can be angled to the right and left, and is telescopic. When not in use, it can be hidden inside the table body.

The up-down and back movements of the table are made by means of an electrical motor, and this electrical motor is placed in the system in a way that does not distort the image.

EXAMINATION TABLE



The electric motor is operated with hand control, optionally, this system can be turned into a foot control. The table has the capacity to carry patients up to 120-160 kg without vibration. There is a towel hanging mechanism on the back of the table and it can be easily attached and removed when necessary.

Measures of rising and falling in the up and down movement of the table do not prevent the patient from reaching the table easily. The back and side surface of the seat cushion of the table are two cm oval in height compared to other surfaces. The body of the table is electrostatically painted in high quality and made in the desired color.

MOTORIZED GYNECOLOGICAL TABLE



The table consists of three parts, head-back, sitting, and removable foot part, and it can be folded 90 ° when the foot extension is not in use.

Under the sitting part of the table, there is a waste collection tray in accordance with hygiene standards.

The table has a telescopic heel support system, this support part can be angled to the right and left, and when not in use, it can be folded and hidden inside the table body.

The leg extension of the table can be disassembled, fixed, and when not in use, it can be lowered down with a simple movement.

The up and down, back, and seat movements of the table are made by means of an electrical motor, this electrical motor is placed in the system in a way that does not distort the image. The electric motor is operated with hand control, optionally, this system can be turned into a foot control.

MOTORIZED GYNECOLOGICAL TABLE

The table has the capacity to carry patients up to 120-160 kg without vibration.

There is a towel hanging mechanism on the back of the table and it can be easily attached and removed when necessary.

Measures of rising and falling in the up and down movement of the table do not prevent the patient from reaching the table easily.



The back and side surface of the seat cushion of the table are two cm oval in height compared to other surfaces.

The body of the table is electrostatically painted in high quality and made in the desired color.

EXAMINATION STOOL



Ambulancemed



EXAM LAMP



CRASH CART



Ambulancemed



FINGERTIP PULSE OXIMETER DEVICE



The device has a high-quality OLED screen. With its light, compact and portable structure, it is suitable for use in all adult and pediatric patient groups in units such as hospital, emergency room, ambulance, and home care.



It measures SpO2 and Respiratory Rate parameters, the screen rotates for easy monitoring, it works with two AA batteries, and there is also a battery monitoring indicator. Standard Configuration: SpO2 / Pulse Rate / Hanging Strap / Battery

GLUCOMETER



NON-CONTACT INFRARED THERMOMETER



EMERGENCY BIRTH KIT



The emergency birth kit is one of the mandatory medical supplies that should be found in whole ambulance vehicles. It consists of sterile disposable materials that ambulance health personnel can easily use when needed. The kit is provided with a special bag that does not occupy much space in the ambulance. Its special bag is made of a zippered, transparent, stain-free material that can be easily washed and wiped when it gets dirty. The bag's edges are sewn with high-quality stitching with a unique roving in order to make the bag more robust. The content list of the birth set is printed on the bag.

Other medical supplies can be added depending on the request of the ambulance health personnel. Each medical supply in the Ambulance Emergency Birth Kit has its own special package. This package contains the name tag of the product.

AMBULANCE NECK LOCK COLLAR



The adjustable neck collar is an indispensable product for ambulance medical equipment, which is dedicated to injured people and provides excellent convenience for healthcare personnel. The adjustable neck collar offers smooth and fast application by easily adjusting the injured according to the neck circumference.

It is made of an adjustable neck collar X-ray permeable HDPE material with a one-piece design closed with a color-coded Velcro. The adjustable neck collar has wide solid chin support and a foam pad. There are a large tracheal space and a posterior ventilation opening for intubation. The adjustable neck collar can be easily cleaned and disinfected. The adjustable neck collar does not take up much space in the ambulance.

CERVICAL COLLAR



One-piece design that closes with color-coded Velcro for easy and fast application. X-ray permeable HDPE material, wide chin support, foam pad. Large tracheal space for intubation, rear ventilation opening. Easy to Clean. It is in 2 different sizes.

AMBULANCE NECK LOCK COLLAR



The adjustable neck collar is manufactured in a structure that is suitable for adult and child use.

AMBULANCE DOCTOR SEAT



Our ambulance doctor seat and assistant health personnel seats with a crash test (TS EN 1789) have a comfortable ergonomic design.

Sidewall seats have the ability to rotate put around themselves and to the second patient in a lying position when taking the ambulance. In addition, the seat part can be folded inwards in order not to take up space.

AMBULANCE DOCTOR SEAT



The seat at the head end of the patient has a fixed design and the seat part can be folded. The backrest can be tilted forward so that the user can pick up and put the material in its place.

It has a three-point seat belt. The seat belt has an automatic retracting mechanism. Note: Design and color may differ from the image.

MAIN STRETCHER BELT

Ambulance Stretcher Belt Set was produced with high-quality materials and presented to our users.

The ambulance stretcher belts, which are made of tear-resistant polyester columns with high-quality materials, thread, and stitches, are designed to fix the patient on the stretcher both longitudinally and laterally. The two-point and four-point ambulance main stretcher belts can be adjusted according to the patient's height, chest, waist, and knee height. It has suitable gauges for adult and child use.

The lock mechanisms of the ambulance's main stretcher belts are designed not to unfold when carrying the patient. They can be effortlessly locked and unlocked by the ambulance health personnel by touching the button. Stretcher lock mechanisms are made of hard plastic material.



MAIN STRETCHER BELT



The belt length is at least 150 cm; however, it can be produced longer if requested. Belt column widths are 5 cm.

It does not stain, and it can be wiped and cleaned very easily when it gets dirty (except lock and metal parts). The ambulance stretcher belt is produced in black color, but various color options are available depending on requests.

Belts are attached to both sides of the ambulance stretcher. Shoulder straps can also be attached to both sides and the stretcher's head by avoiding to disturb the patient. They can be easily removed from the ambulance stretcher if desired.

AMBULANCE WALL MOUNTED SPHYGMOMANOMETER



Portable Pressure Tools are made up of vanilla floors, connected pipes, and air-storing sections.

The manometer and the pillar will be combined, the text has easily noticeable contrast with the floor, the figures are easily distinguishable, at least 50 mm in diameter.

AMBULANCE WALL MOUNTED SPHYGMOMANOMETER



The sphygmomanometer measures in mmHg units. There is a stethoscope next to the sphygmomanometer.

The stethoscope has a head and an ear adapter. The listening part is live and drum type.

ANNOUNCEMENT SYSTEM WITH LIGHTBAR AND LOUDSPEAKER



The beacon lights of the ambulance designed using high-tech LEDs.

A system determined in order to regulate the flow and voltage on the LED modules that keep LEDs lifespan in maximum degree.

Blue and transparent polycarbonate plastic material possess high endurance against UV and dashes. Produced according to the intended color and sizes.

Light intensity made more stimulating by using special lenses.

Can be mounted simply on the ambulance vehicles since under the favor of its special design.

It has a low wind force constant according to the speed of the vehicle.

The beacon lamps operate with 12v or 24v.

ANNOUNCEMENT SYSTEM WITH LIGHTBAR AND LOUDSPEAKER



It has ECE R65, IP and SAE standards. In addition, it passed the EMC suitability tests with excellent success. It produced in various sizes between 114 cms and 189 cms for each kind of vehicles such as ambulance, police car, and fire engine. A siren device mounted into the determined place of the vehicle in order to control these lamps. The driver can alter the modes of lights and siren voices by this device. The speaker, placed in the ambulance beacon lamp, has a decent decibel that doesn't annoy the patient in the ambulance 14 (in maximum) side lamps can be mounted on both sides of the top next to the beacon lamps, placed on the rear and front sides of the ambulance, if requested. A vocal announcement can be made by the driver or the other employee via a handheld. The lamps can be mounted on each kind of vehicles such as ambulances, police cars, fire engines, and military vehicles, with different mounting techniques.



CONTACT US




Export / Import Department

Macun Mah. Batı Blv. No: 1 / 172 Yenimahalle
Turkey Ankara

 +90 554 969 5008

 info@ambulancemed.com


 +90 312 381 23 98

Factory

Saray mah. 168. cadde no:1 / A KAHRAMANKAZAN
Turkey Ankara

 +90 554 969 5008

 info@ambulancemed.com

 +90 312 381 23 98